



# 组装屏蔽电感

## 产品尺寸 Product Size



单位 Unit: 毫米 (mm)

| 型号 Size | A                | B                | C         | H        | I        | J        |
|---------|------------------|------------------|-----------|----------|----------|----------|
| 74系列    | $7.30 \pm 0.20$  | $7.30 \pm 0.20$  | 4.50 Max  | 2.60 Ref | 1.20 Ref | 4.70 Ref |
| 124系列   | $12.00 \pm 0.30$ | $12.00 \pm 0.30$ | 5.00 Max  | 5.20 Ref | 2.20 Ref | 7.40 Ref |
| 125系列   | $12.00 \pm 0.30$ | $12.00 \pm 0.30$ | 6.20 Max  | 5.20 Ref | 2.20 Ref | 7.40 Ref |
| 127系列   | $12.00 \pm 0.30$ | $12.00 \pm 0.30$ | 8.00 Max  | 5.20 Ref | 2.20 Ref | 7.40 Ref |
| 129系列   | $12.00 \pm 0.30$ | $12.00 \pm 0.30$ | 10.00 Max | 5.20 Ref | 2.20 Ref | 7.40 Ref |



单位 Unit: 毫米 (mm)

| 型号 Size | A                | B                | C        | H        | I        | J        |
|---------|------------------|------------------|----------|----------|----------|----------|
| 10A4系列  | $10.00 \pm 0.30$ | $10.00 \pm 0.30$ | 4.00 Max | 3.00 Ref | 1.25 Ref | 7.60 Ref |
| 10A5系列  | $10.00 \pm 0.30$ | $10.00 \pm 0.30$ | 5.00 Max | 3.00 Ref | 1.25 Ref | 7.60 Ref |



### DHRH74系列

| 型号规格<br>Part NO. | 标称感量<br>Inductance<br>( $\mu$ H) | 精度级别<br>Accuracy<br>Grade | 测试频率<br>Test<br>Frequency<br>(KHz) | 测试电压<br>Test<br>Voltage<br>(mV) | 直流电阻<br>Rdc<br>( $\Omega$ )<br>Max | 额定电流<br>Idc<br>(A)<br>Max | 饱和电流<br>Isat<br>(A)<br>Max |
|------------------|----------------------------------|---------------------------|------------------------------------|---------------------------------|------------------------------------|---------------------------|----------------------------|
| DHRH74N-1R0N     | 1.0                              | $\pm 30\%$                | 100                                | 300                             | 0.017                              | 5.00                      | 8.00                       |
| DHRH74N-2R2N     | 2.2                              | $\pm 30\%$                | 100                                | 300                             | 0.024                              | 4.00                      | 6.00                       |
| DHRH74N-3R3N     | 3.3                              | $\pm 30\%$                | 100                                | 300                             | 0.030                              | 3.50                      | 4.80                       |
| DHRH74N-4R7N     | 4.7                              | $\pm 30\%$                | 100                                | 300                             | 0.040                              | 3.10                      | 4.20                       |
| DHRH74N-6R8N     | 6.8                              | $\pm 30\%$                | 100                                | 300                             | 0.050                              | 2.20                      | 2.80                       |
| DHRH74N-100M     | 10                               | $\pm 20\%$                | 100                                | 300                             | 0.065                              | 1.84                      | 2.50                       |
| DHRH74N-150M     | 15                               | $\pm 20\%$                | 100                                | 300                             | 0.090                              | 1.47                      | 2.00                       |
| DHRH74N-220M     | 22                               | $\pm 20\%$                | 100                                | 300                             | 0.130                              | 1.23                      | 1.80                       |
| DHRH74N-330M     | 33                               | $\pm 20\%$                | 100                                | 300                             | 0.160                              | 0.96                      | 1.50                       |
| DHRH74N-470M     | 47                               | $\pm 20\%$                | 100                                | 300                             | 0.230                              | 0.88                      | 1.30                       |
| DHRH74N-560M     | 56                               | $\pm 20\%$                | 100                                | 300                             | 0.250                              | 0.80                      | 1.20                       |
| DHRH74N-680M     | 68                               | $\pm 20\%$                | 100                                | 300                             | 0.310                              | 0.70                      | 1.10                       |
| DHRH74N-101M     | 100                              | $\pm 20\%$                | 100                                | 300                             | 0.430                              | 0.60                      | 1.00                       |
| DHRH74N-121M     | 120                              | $\pm 20\%$                | 100                                | 300                             | 0.600                              | 0.50                      | 0.80                       |
| DHRH74N-151M     | 150                              | $\pm 20\%$                | 100                                | 300                             | 0.700                              | 0.46                      | 0.70                       |
| DHRH74N-221M     | 220                              | $\pm 20\%$                | 100                                | 300                             | 0.950                              | 0.35                      | 0.50                       |
| DHRH74N-331M     | 330                              | $\pm 20\%$                | 100                                | 300                             | 1.350                              | 0.32                      | 0.40                       |
| DHRH74N-471M     | 470                              | $\pm 20\%$                | 100                                | 300                             | 2.200                              | 0.26                      | 0.35                       |
| DHRH74N-681M     | 680                              | $\pm 20\%$                | 100                                | 300                             | 2.700                              | 0.20                      | 0.30                       |
| DHRH74N-102M     | 1000                             | $\pm 20\%$                | 100                                | 300                             | 4.300                              | 0.18                      | 0.28                       |
| DHRH74N-152M     | 1500                             | $\pm 20\%$                | 100                                | 300                             | 4.500                              | 0.10                      | 0.10                       |

**DHRH124系列**

| 型号规格<br>Part NO. | 标称感量<br>Inductance<br>( $\mu$ H) | 精度级别<br>Accuracy<br>Grade | 测试频率<br>Test<br>Frequency<br>(KHz) | 测试电压<br>Test<br>Voltage<br>(mV) | 直流电阻<br>Rdc<br>( $\Omega$ )<br>Max | 额定电流<br>Idc<br>(A)<br>Max | 饱和电流<br>Isat<br>(A)<br>Max |
|------------------|----------------------------------|---------------------------|------------------------------------|---------------------------------|------------------------------------|---------------------------|----------------------------|
| DHRH124N-1R0N    | 1.0                              | $\pm 30\%$                | 100                                | 300                             | 0.015                              | 7.00                      | 13.00                      |
| DHRH124N-2R2N    | 2.2                              | $\pm 30\%$                | 100                                | 300                             | 0.020                              | 5.70                      | 12.00                      |
| DHRH124N-3R3N    | 3.3                              | $\pm 30\%$                | 100                                | 300                             | 0.025                              | 5.20                      | 10.00                      |
| DHRH124N-4R7N    | 4.7                              | $\pm 30\%$                | 100                                | 300                             | 0.028                              | 4.90                      | 8.50                       |
| DHRH124N-6R8N    | 6.8                              | $\pm 30\%$                | 100                                | 300                             | 0.033                              | 4.20                      | 6.50                       |
| DHRH124N-100M    | 10                               | $\pm 20\%$                | 100                                | 300                             | 0.045                              | 3.80                      | 5.00                       |
| DHRH124N-150M    | 15                               | $\pm 20\%$                | 100                                | 300                             | 0.060                              | 3.20                      | 4.60                       |
| DHRH124N-220M    | 22                               | $\pm 20\%$                | 100                                | 300                             | 0.090                              | 2.90                      | 4.20                       |
| DHRH124N-330M    | 33                               | $\pm 20\%$                | 100                                | 300                             | 0.110                              | 2.70                      | 3.80                       |
| DHRH124N-470M    | 47                               | $\pm 20\%$                | 100                                | 300                             | 0.160                              | 1.90                      | 2.90                       |
| DHRH124N-560M    | 56                               | $\pm 20\%$                | 100                                | 300                             | 0.200                              | 1.80                      | 2.70                       |
| DHRH124N-680M    | 68                               | $\pm 20\%$                | 100                                | 300                             | 0.220                              | 1.50                      | 2.50                       |
| DHRH124N-101M    | 100                              | $\pm 20\%$                | 100                                | 300                             | 0.290                              | 1.20                      | 2.00                       |
| DHRH124N-121M    | 120                              | $\pm 20\%$                | 100                                | 300                             | 0.350                              | 1.10                      | 1.80                       |
| DHRH124N-151M    | 150                              | $\pm 20\%$                | 100                                | 300                             | 0.500                              | 0.95                      | 1.50                       |
| DHRH124N-221M    | 220                              | $\pm 20\%$                | 100                                | 300                             | 0.620                              | 0.80                      | 1.30                       |
| DHRH124N-331M    | 330                              | $\pm 20\%$                | 100                                | 300                             | 0.960                              | 0.50                      | 1.00                       |
| DHRH124N-471M    | 470                              | $\pm 20\%$                | 100                                | 300                             | 1.300                              | 0.50                      | 0.90                       |
| DHRH124N-681M    | 680                              | $\pm 20\%$                | 100                                | 300                             | 2.100                              | 0.41                      | 0.80                       |
| DHRH124N-102M    | 1000                             | $\pm 20\%$                | 100                                | 300                             | 2.800                              | 0.30                      | 0.60                       |
| DHRH124N-152M    | 1500                             | $\pm 20\%$                | 100                                | 300                             | 4.200                              | 0.20                      | 0.50                       |



### DHRH125系列

| 型号规格<br>Part NO. | 标称感量<br>Inductance<br>( $\mu$ H) | 精度级别<br>Accuracy<br>Grade | 测试频率<br>Test<br>Frequency<br>(KHz) | 测试电压<br>Test<br>Voltage<br>(mV) | 直流电阻<br>Rdc<br>( $\Omega$ )<br>Max | 额定电流<br>Idc<br>(A)<br>Max | 饱和电流<br>Isat<br>(A)<br>Max |
|------------------|----------------------------------|---------------------------|------------------------------------|---------------------------------|------------------------------------|---------------------------|----------------------------|
| DHRH125N-1R0N    | 1.0                              | $\pm 30\%$                | 100                                | 300                             | 0.015                              | 9.00                      | 15.00                      |
| DHRH125N-2R2N    | 2.2                              | $\pm 30\%$                | 100                                | 300                             | 0.020                              | 8.00                      | 13.00                      |
| DHRH125N-3R3N    | 3.3                              | $\pm 30\%$                | 100                                | 300                             | 0.025                              | 7.50                      | 10.00                      |
| DHRH125N-4R7N    | 4.7                              | $\pm 30\%$                | 100                                | 300                             | 0.030                              | 5.60                      | 8.00                       |
| DHRH125N-6R8N    | 6.8                              | $\pm 30\%$                | 100                                | 300                             | 0.032                              | 4.80                      | 7.00                       |
| DHRH125N-100M    | 10                               | $\pm 20\%$                | 100                                | 300                             | 0.035                              | 4.00                      | 6.50                       |
| DHRH125N-150M    | 15                               | $\pm 20\%$                | 100                                | 300                             | 0.042                              | 3.00                      | 5.50                       |
| DHRH125N-220M    | 22                               | $\pm 20\%$                | 100                                | 300                             | 0.045                              | 2.80                      | 4.00                       |
| DHRH125N-330M    | 33                               | $\pm 20\%$                | 100                                | 300                             | 0.075                              | 2.30                      | 3.80                       |
| DHRH125N-470M    | 47                               | $\pm 20\%$                | 100                                | 300                             | 0.110                              | 1.80                      | 3.00                       |
| DHRH125N-560M    | 56                               | $\pm 20\%$                | 100                                | 300                             | 0.125                              | 1.70                      | 2.70                       |
| DHRH125N-680M    | 68                               | $\pm 20\%$                | 100                                | 300                             | 0.135                              | 1.50                      | 2.50                       |
| DHRH125N-101M    | 100                              | $\pm 20\%$                | 100                                | 300                             | 0.185                              | 1.30                      | 2.10                       |
| DHRH125N-121M    | 120                              | $\pm 20\%$                | 100                                | 300                             | 0.240                              | 1.10                      | 1.80                       |
| DHRH125N-151M    | 150                              | $\pm 20\%$                | 100                                | 300                             | 0.260                              | 1.00                      | 1.50                       |
| DHRH125N-221M    | 220                              | $\pm 20\%$                | 100                                | 300                             | 0.420                              | 0.80                      | 1.20                       |
| DHRH125N-331M    | 330                              | $\pm 20\%$                | 100                                | 300                             | 0.740                              | 0.68                      | 1.10                       |
| DHRH125N-471M    | 470                              | $\pm 20\%$                | 100                                | 300                             | 1.000                              | 0.58                      | 0.90                       |
| DHRH125N-681M    | 680                              | $\pm 20\%$                | 100                                | 300                             | 1.200                              | 0.48                      | 0.80                       |
| DHRH125N-102M    | 1000                             | $\pm 20\%$                | 100                                | 300                             | 1.600                              | 0.41                      | 0.70                       |
| DHRH125N-152M    | 1500                             | $\pm 20\%$                | 100                                | 300                             | 2.700                              | 0.32                      | 0.50                       |
| DHRH125N-202M    | 2000                             | $\pm 20\%$                | 100                                | 300                             | 3.500                              | 0.25                      | 0.45                       |

**DHRH127系列**

| 型号规格<br>Part NO. | 标称感量<br>Inductance<br>( $\mu$ H) | 精度级别<br>Accuracy<br>Grade | 测试频率<br>Test<br>Frequency<br>(KHz) | 测试电压<br>Test<br>Voltage<br>(mV) | 直流电阻<br>Rdc<br>( $\Omega$ )<br>Max | 额定电流<br>Idc<br>(A)<br>Max | 饱和电流<br>Isat<br>(A)<br>Max |
|------------------|----------------------------------|---------------------------|------------------------------------|---------------------------------|------------------------------------|---------------------------|----------------------------|
| DHRH127N-1R0N    | 1.0                              | $\pm 30\%$                | 100                                | 300                             | 0.014                              | 12.00                     | 25.00                      |
| DHRH127N-2R2N    | 2.2                              | $\pm 30\%$                | 100                                | 300                             | 0.017                              | 9.00                      | 21.00                      |
| DHRH127N-3R3N    | 3.3                              | $\pm 30\%$                | 100                                | 300                             | 0.020                              | 8.00                      | 17.00                      |
| DHRH127N-4R7N    | 4.7                              | $\pm 30\%$                | 100                                | 300                             | 0.022                              | 6.80                      | 14.00                      |
| DHRH127N-6R8N    | 6.8                              | $\pm 30\%$                | 100                                | 300                             | 0.025                              | 6.60                      | 11.00                      |
| DHRH127N-100M    | 10                               | $\pm 20\%$                | 100                                | 300                             | 0.027                              | 5.40                      | 9.00                       |
| DHRH127N-150M    | 15                               | $\pm 20\%$                | 100                                | 300                             | 0.035                              | 4.70                      | 8.00                       |
| DHRH127N-220M    | 22                               | $\pm 20\%$                | 100                                | 300                             | 0.057                              | 3.60                      | 6.00                       |
| DHRH127N-330M    | 33                               | $\pm 20\%$                | 100                                | 300                             | 0.065                              | 3.00                      | 5.00                       |
| DHRH127N-470M    | 47                               | $\pm 20\%$                | 100                                | 300                             | 0.090                              | 2.50                      | 4.00                       |
| DHRH127N-560M    | 56                               | $\pm 20\%$                | 100                                | 300                             | 0.105                              | 2.30                      | 3.80                       |
| DHRH127N-680M    | 68                               | $\pm 20\%$                | 100                                | 300                             | 0.110                              | 2.10                      | 3.50                       |
| DHRH127N-101M    | 100                              | $\pm 20\%$                | 100                                | 300                             | 0.200                              | 1.70                      | 3.00                       |
| DHRH127N-121M    | 120                              | $\pm 20\%$                | 100                                | 300                             | 0.250                              | 1.60                      | 2.70                       |
| DHRH127N-151M    | 150                              | $\pm 20\%$                | 100                                | 300                             | 0.300                              | 1.40                      | 2.30                       |
| DHRH127N-221M    | 220                              | $\pm 20\%$                | 100                                | 300                             | 0.400                              | 1.10                      | 2.00                       |
| DHRH127N-331M    | 330                              | $\pm 20\%$                | 100                                | 300                             | 0.550                              | 0.95                      | 1.40                       |
| DHRH127N-471M    | 470                              | $\pm 20\%$                | 100                                | 300                             | 0.850                              | 0.79                      | 1.20                       |
| DHRH127N-681M    | 680                              | $\pm 20\%$                | 100                                | 300                             | 1.200                              | 0.67                      | 1.00                       |
| DHRH127N-102M    | 1000                             | $\pm 20\%$                | 100                                | 300                             | 1.820                              | 0.55                      | 0.70                       |
| DHRH127N-152M    | 1500                             | $\pm 20\%$                | 100                                | 300                             | 2.200                              | 0.30                      | 0.60                       |
| DHRH127N-352M    | 3500                             | $\pm 20\%$                | 100                                | 300                             | 4.800                              | 0.20                      | 0.30                       |
| DHRH127N-472M    | 4700                             | $\pm 20\%$                | 100                                | 300                             | 7.000                              | 0.20                      | 0.20                       |



### DHRH129系列

| 型号规格<br>Part NO. | 标称感量<br>Inductance<br>( $\mu$ H) | 精度级别<br>Accuracy<br>Grade | 测试频率<br>Test<br>Frequency<br>(KHz) | 测试电压<br>Test<br>Voltage<br>(mV) | 直流电阻<br>Rdc<br>( $\Omega$ )<br>Max | 额定电流<br>Idc<br>(A)<br>Max | 饱和电流<br>Isat<br>(A)<br>Max |
|------------------|----------------------------------|---------------------------|------------------------------------|---------------------------------|------------------------------------|---------------------------|----------------------------|
| DHRH129N-1R0N    | 1.0                              | $\pm 30\%$                | 100                                | 300                             | 0.015                              | 10.00                     | 20.00                      |
| DHRH129N-2R2N    | 2.2                              | $\pm 30\%$                | 100                                | 300                             | 0.018                              | 9.00                      | 17.00                      |
| DHRH129N-3R3N    | 3.3                              | $\pm 30\%$                | 100                                | 300                             | 0.020                              | 8.00                      | 14.00                      |
| DHRH129N-4R7N    | 4.7                              | $\pm 30\%$                | 100                                | 300                             | 0.022                              | 8.00                      | 11.00                      |
| DHRH129N-6R8N    | 6.8                              | $\pm 30\%$                | 100                                | 300                             | 0.025                              | 7.00                      | 10.00                      |
| DHRH129N-100M    | 10                               | $\pm 20\%$                | 100                                | 300                             | 0.027                              | 6.00                      | 9.00                       |
| DHRH129N-150M    | 15                               | $\pm 20\%$                | 100                                | 300                             | 0.030                              | 5.50                      | 8.00                       |
| DHRH129N-220M    | 22                               | $\pm 20\%$                | 100                                | 300                             | 0.050                              | 5.00                      | 6.50                       |
| DHRH129N-330M    | 33                               | $\pm 20\%$                | 100                                | 300                             | 0.060                              | 4.50                      | 5.00                       |
| DHRH129N-470M    | 47                               | $\pm 20\%$                | 100                                | 300                             | 0.080                              | 4.00                      | 4.40                       |
| DHRH129N-560M    | 56                               | $\pm 20\%$                | 100                                | 300                             | 0.090                              | 3.50                      | 3.80                       |
| DHRH129N-680M    | 68                               | $\pm 20\%$                | 100                                | 300                             | 0.100                              | 3.00                      | 3.60                       |
| DHRH129N-101M    | 100                              | $\pm 20\%$                | 100                                | 300                             | 0.140                              | 2.50                      | 3.00                       |
| DHRH129N-121M    | 120                              | $\pm 20\%$                | 100                                | 300                             | 0.170                              | 2.20                      | 2.50                       |
| DHRH129N-151M    | 150                              | $\pm 20\%$                | 100                                | 300                             | 0.230                              | 1.80                      | 2.00                       |
| DHRH129N-221M    | 220                              | $\pm 20\%$                | 100                                | 300                             | 0.280                              | 1.60                      | 1.80                       |
| DHRH129N-331M    | 330                              | $\pm 20\%$                | 100                                | 300                             | 0.540                              | 1.40                      | 1.50                       |
| DHRH129N-471M    | 470                              | $\pm 20\%$                | 100                                | 300                             | 0.610                              | 1.10                      | 1.20                       |
| DHRH129N-681M    | 680                              | $\pm 20\%$                | 100                                | 300                             | 0.980                              | 0.90                      | 1.00                       |
| DHRH129N-102M    | 1000                             | $\pm 20\%$                | 100                                | 300                             | 1.200                              | 0.50                      | 0.70                       |
| DHRH129N-122M    | 1200                             | $\pm 20\%$                | 100                                | 300                             | 1.500                              | 0.40                      | 0.60                       |
| DHRH129N-222M    | 2200                             | $\pm 20\%$                | 100                                | 300                             | 3.200                              | 0.30                      | 0.40                       |

**DHRH10A4系列**

| 型号规格<br>Part NO. | 标称感量<br>Inductance<br>( $\mu$ H) | 精度级别<br>Accuracy<br>Grade | 测试频率<br>Test<br>Frequency<br>(KHz) | 测试电压<br>Test<br>Voltage<br>(mV) | 直流电阻<br>Rdc<br>( $\Omega$ )<br>Max | 额定电流<br>Idc<br>(A)<br>Max | 饱和电流<br>Isat<br>(A)<br>Max |
|------------------|----------------------------------|---------------------------|------------------------------------|---------------------------------|------------------------------------|---------------------------|----------------------------|
| DHRH10A4N-1R5N   | 1.5                              | $\pm 30\%$                | 100                                | 300                             | 0.018                              | 8.00                      | 9.50                       |
| DHRH10A4N-2R2N   | 2.2                              | $\pm 30\%$                | 100                                | 300                             | 0.019                              | 7.50                      | 8.00                       |
| DHRH10A4N-3R3N   | 3.3                              | $\pm 30\%$                | 100                                | 300                             | 0.024                              | 6.00                      | 7.00                       |
| DHRH10A4N-4R7N   | 4.7                              | $\pm 30\%$                | 100                                | 300                             | 0.030                              | 5.50                      | 6.00                       |
| DHRH10A4N-6R8N   | 6.8                              | $\pm 30\%$                | 100                                | 300                             | 0.045                              | 4.00                      | 5.00                       |
| DHRH10A4N-100M   | 10                               | $\pm 20\%$                | 100                                | 300                             | 0.060                              | 3.80                      | 4.80                       |
| DHRH10A4N-150M   | 15                               | $\pm 20\%$                | 100                                | 300                             | 0.072                              | 3.60                      | 4.20                       |
| DHRH10A4N-220M   | 22                               | $\pm 20\%$                | 100                                | 300                             | 0.100                              | 2.90                      | 3.20                       |
| DHRH10A4N-330M   | 33                               | $\pm 20\%$                | 100                                | 300                             | 0.130                              | 2.30                      | 2.50                       |
| DHRH10A4N-470M   | 47                               | $\pm 20\%$                | 100                                | 300                             | 0.180                              | 2.00                      | 2.10                       |
| DHRH10A4N-560M   | 56                               | $\pm 20\%$                | 100                                | 300                             | 0.195                              | 1.80                      | 2.00                       |
| DHRH10A4N-680M   | 68                               | $\pm 20\%$                | 100                                | 300                             | 0.245                              | 1.50                      | 1.80                       |
| DHRH10A4N-101M   | 100                              | $\pm 20\%$                | 100                                | 300                             | 0.380                              | 1.35                      | 1.50                       |
| DHRH10A4N-121M   | 120                              | $\pm 20\%$                | 100                                | 300                             | 0.420                              | 1.20                      | 1.40                       |
| DHRH10A4N-151M   | 150                              | $\pm 20\%$                | 100                                | 300                             | 0.440                              | 1.15                      | 1.30                       |
| DHRH10A4N-221M   | 220                              | $\pm 20\%$                | 100                                | 300                             | 0.670                              | 0.92                      | 1.00                       |
| DHRH10A4N-331M   | 330                              | $\pm 20\%$                | 100                                | 300                             | 1.050                              | 0.70                      | 0.80                       |
| DHRH10A4N-471M   | 470                              | $\pm 20\%$                | 100                                | 300                             | 1.320                              | 0.60                      | 0.70                       |
| DHRH10A4N-681M   | 680                              | $\pm 20\%$                | 100                                | 300                             | 2.030                              | 0.46                      | 0.55                       |
| DHRH10A4N-102M   | 1000                             | $\pm 20\%$                | 100                                | 300                             | 3.230                              | 0.39                      | 0.40                       |
| DHRH10A4N-202M   | 2000                             | $\pm 20\%$                | 100                                | 300                             | 8.600                              | 0.20                      | 0.30                       |


**DHRH10A5系列**

| 型号规格<br>Part NO. | 标称感量<br>Inductance<br>( $\mu$ H) | 精度级别<br>Accuracy<br>Grade | 测试频率<br>Test<br>Frequency<br>(KHz) | 测试电压<br>Test<br>Voltage<br>(mV) | 直流电阻<br>Rdc<br>( $\Omega$ )<br>Max | 额定电流<br>Idc<br>(A)<br>Max | 饱和电流<br>Isat<br>(A)<br>Max |
|------------------|----------------------------------|---------------------------|------------------------------------|---------------------------------|------------------------------------|---------------------------|----------------------------|
| DHRH10A5N-1R5N   | 1.5                              | $\pm 30\%$                | 100                                | 300                             | 0.024                              | 10.00                     | 11.00                      |
| DHRH10A5N-2R2N   | 2.2                              | $\pm 30\%$                | 100                                | 300                             | 0.026                              | 8.50                      | 9.20                       |
| DHRH10A5N-3R3N   | 3.3                              | $\pm 30\%$                | 100                                | 300                             | 0.030                              | 7.50                      | 8.00                       |
| DHRH10A5N-4R7N   | 4.7                              | $\pm 30\%$                | 100                                | 300                             | 0.032                              | 6.50                      | 7.00                       |
| DHRH10A5N-6R8N   | 6.8                              | $\pm 30\%$                | 100                                | 300                             | 0.036                              | 5.50                      | 6.00                       |
| DHRH10A5N-100M   | 10                               | $\pm 20\%$                | 100                                | 300                             | 0.042                              | 4.50                      | 5.50                       |
| DHRH10A5N-150M   | 15                               | $\pm 20\%$                | 100                                | 300                             | 0.062                              | 3.60                      | 4.00                       |
| DHRH10A5N-220M   | 22                               | $\pm 20\%$                | 100                                | 300                             | 0.085                              | 3.00                      | 3.50                       |
| DHRH10A5N-330M   | 33                               | $\pm 20\%$                | 100                                | 300                             | 0.125                              | 2.40                      | 2.70                       |
| DHRH10A5N-470M   | 47                               | $\pm 20\%$                | 100                                | 300                             | 0.160                              | 2.00                      | 2.30                       |
| DHRH10A5N-560M   | 56                               | $\pm 20\%$                | 100                                | 300                             | 0.170                              | 1.80                      | 2.00                       |
| DHRH10A5N-680M   | 68                               | $\pm 20\%$                | 100                                | 300                             | 0.180                              | 1.65                      | 1.80                       |
| DHRH10A5N-101M   | 100                              | $\pm 20\%$                | 100                                | 300                             | 0.300                              | 1.35                      | 1.60                       |
| DHRH10A5N-121M   | 120                              | $\pm 20\%$                | 100                                | 300                             | 0.350                              | 1.20                      | 1.40                       |
| DHRH10A5N-151M   | 150                              | $\pm 20\%$                | 100                                | 300                             | 0.380                              | 1.12                      | 1.30                       |
| DHRH10A5N-221M   | 220                              | $\pm 20\%$                | 100                                | 300                             | 0.560                              | 0.94                      | 1.00                       |
| DHRH10A5N-331M   | 330                              | $\pm 20\%$                | 100                                | 300                             | 0.860                              | 0.75                      | 0.80                       |
| DHRH10A5N-471M   | 470                              | $\pm 20\%$                | 100                                | 300                             | 1.030                              | 0.60                      | 0.70                       |
| DHRH10A5N-681M   | 680                              | $\pm 20\%$                | 100                                | 300                             | 1.430                              | 0.52                      | 0.50                       |
| DHRH10A5N-102M   | 1000                             | $\pm 20\%$                | 100                                | 300                             | 2.330                              | 0.48                      | 0.40                       |